of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY

SPECIAL FORM RADIOACTIVE MATERIALS

CERTIFICATE USA/0497/S-96, REVISION 4

Safety Administration

East Building, PHH-23 1200 New Jersey Avenue SE Washington, D.C. 20590

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency<sup>1</sup> and the United States of America<sup>2</sup> for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X.444.
- 2. <u>Source Description</u> Cylindrical single or double encapsulation made of Type 316 or 316L stainless steel and tungsten inert gas or laser seal welded. Approximate maximum exterior dimensions are 5.6 mm (0.22 in.) in diameter and 15.0 mm (0.59 in.) in length. Minimum wall thickness is 0.63 mm (0.025 in.). Any inner encapsulation shall be made of stainless steel, aluminum, or titanium. Construction shall be in accordance with attached QSA Global, Inc. Drawing No. R87522, Rev. B.
- 3. <u>Radioactive Contents</u> No more than 10.92 TBq (295.0 Ci) of Iridium-192 or Cobalt-60 in solid metal form.
- 4. Quality Assurance Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on July 31, 2013.

<sup>&</sup>lt;sup>1</sup> "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency(IAEA), Vienna, Austria.

<sup>&</sup>lt;sup>2</sup> Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

## CERTIFICATE USA/0497/S-96, REVISION 4

This certificate is issued in accordance with paragraph 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the July 16, 2008 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:


Robert A. Richard

Jul 22 2008

(DATE)

Deputy Associate Administrator for Hazardous Materials Safety

Revision 4 - Issued to extend the expiration date.



## NOTES:

- 1. INTERNAL VOID TO BE 0.010 mL OR GREATER.
- 2. MATERIAL: 316L STAINLESS STEEL OR EQUIVALENT.
- 3. INNER CAVITY DIMENSIONS MAY VARY. METALLIC SPACERS, SPRINGS AND GUARDS WHICH SECURE AND/OR LOCATE THE RADIOACTIVE MATERIAL WITHIN THE CAPSULE MAY BE USED.
- 4. MINIMUM WALL THICKNESS TO BE 0.025.

UNLESS OTHERWISE SPECIFIED DIMENSIONS IN INCHES TOLERANCES: FRACTIONS ± 1/8			2	DATE 2407 Dueon	40 NO		GLOBAL		ESCR DRAV	IPTIVE WING	Ξ
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			DIMENSIONS IN INCHES		TITLE	X444	CAPS	JLE /	ASSE	EMBL	_Y
FRF #     / . ) 9   X.XX ± 0.06   /	EDE #	1.770 X.X ± 0.12			SIZE	DWG. NO.	. NO. R87522			A 19.8-0.00	
$\pi$   1700   $\chi.xxx \pm 0.020$   A   SCALE: NONE   SHEET   OF	ERF #	1739			Α	SCALE:	NONE	SHEET	SHEET 1 OF 1		B





Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0497/S-96, Revision 4

## **ORIGINAL REGISTRANT(S):**

Ms. Lori Podolak Product Licensing Specialist QSA Global, Inc. 40 North Avenue Burlington, MA 01803

Ms. Cathleen Roughan Director, Regulatory Affairs and QA QSA Global, Inc. 40 North Avenue Burlington, MA 01803

Mr. Michael Fuller Regulatory Compliance Associate QSA Global, Inc. 40 North Avenue Burlington, MA 01803